



CRESTAKYD[®] 10-2023

Long oil air drying alkyd

Previous Name: CHROMOSAL TM 70 IPA WS180/220

INTRODUCTION CRESTAKYD 10-2023 is a high-solid iso-phthalic, has excellent brushability & flow characteristics, as well as weathering resistance.

CHARACTERISTICS

Solids content	70±1,5%
Oil type	Linoleic rich
Oil content	70%
Solvent	non-aromatic White Spirit 180/220, D60
Acid value (base resin)	max. 10 mg KOH/g
Viscosity, 70% NVC in WS 180/220, Brookfield, @ 23°C	500 . 900 mPa s
Gardner Colour	max. 6

APPLICATION CRESTAKYD 10-2023 is recommended for the production of low VOC exterior paints and wood stains, impregnations. It is also compatible with conventional long oil alkyds and thixotropic resins and can be used in combination to improve the solids of the resultant paint.

This resin has excellent penetration into wood combined with exceptional outdoor durability and is therefore recommended for wood stains and oils used for garden furniture. High levels of gloss and build, coupled with good colour retention make the resin ideally suited for exterior work.

Drier recommendation 0.5-0.7% zirconium, 0.05-0.07% cobalt and 0.1-0.2% calcium, calculated as metals on resin solids or suitable combination driers."

Thinner recommendation: excellent tolerance to aliphatic hydrocarbon solvents.

Issue No. 2




CROATIA, 10000 ZAGREB, Radnička cesta 173i.

tel.: +385 1 2406-440

fax: +385 1 2404-573; +385 1 2404-926

e-mail: info@scottbader.hr





SCOTT BADER
CRESTAKYD® 10-2023
Long oil air drying alkyd

Previous Name: CHROMOSAL TM 70 IPA WS180/220

PACKAGING CRESTAKYD 10-2023 can be supplied in drums, road-tankers and in containers.

STORAGE The resin should be stored in the original, unopened and undamaged containers in a dry place at temperatures between 0°C and 30°C. Exposure to direct sunlight should be avoided

HEALTH & SAFETY Please see separate material safety data sheet.

Issue No. 1



SCOTT BADER d.o.o.
CROATIA , 10000 ZAGREB, Radnička cesta 173i.
tel.: +385 1 2406-440
fax: +385 1 2404-573; +385 1 2404-926
e-mail: info@scottbader.hr

