




Making a **positive** difference

Global Manufacturer of
Composite and Adhesive
Products and Technologies

Wind Energy



APPLICATION	CATEGORY	PRODUCT	TYPE	VISCOSITY (cPs)/ (Max Gap Fill)	GEL TIME (mins)	FEATURES/BENEFITS	
<p>Tooling</p>	Pattern/Direct Mould Build	Crestamould® B12	Polyester	14,000	15	Crestamould® B12 is a MEKP catalysed, brushable slightly thixotropic sealer designed to coat expanded and extruded polystyrene foams	
		Crestamould® T27	Polyester	(25mm)	20	Crestamould® T27 is a sprayable modified polyester compound designed for milling of large plugs	
		Crestamould® T28	Polyester	(25mm)	40	Crestamould® T28 is an extrudable modified polyester compound designed for milling of small and large plugs or direct limited production moulds	
		Crestafix® F26	Polyester	(6mm)	4	Crestafix® F26 is a water resistant, low-density polyester-based fairing compound	
		Crystic® Primecoat	Polyester	n/a	8	Crystic® Primecoat is a high build, polyester coating material which allows the rapid surfacing of patterns constructed from wood, MDF, GRP	
		Crystic® Glosscoat	Polyester	n/a	8	Crystic® Glosscoat is a polyester coating designed to be applied over prepared Crystic® Primecoat to give a glossier and more durable surface	
	GRP Mould Build	Crestamould® Gelcoat 15PA	Vinylester	n/a	10	Crestamould® Gelcoat 15PA is a pre-accelerated spray gelcoat specially formulated from a vinyl ester base resin and is available in a restricted range of colours	
		Crestamould® VE679PA	Vinylester	300	20	Crestamould® VE 679PA is a pre-accelerated, thixotropic, DCPD modified, vinyl ester resin	
Crestamould® RTR 4010PA		Polyester	500	40	Crestamould® RTR 4010PA is a new, improved rapid tooling resin which incorporates better handling properties, lower viscosity, improved shrinkage control and is catalysed with standard MEKP catalyst. RTR 4010PA is a thixotropic, filled, low profile resin for hand-lay mould making applications. Best suited for smaller high volume moulds with room temperature processing		
Crestamould® 474PA		Polyester	400	12	Crestamould® 474PA is a thixotropic, pre-accelerated orthophthalic polyester resin with good heat and chemical resistant properties. Best suited for larger moulds that will undergo elevated temperature processing cycles		
<p>Wind Turbine Blade Manufacture</p>	Gelcoats	Ecogel® S0 PA	Polyester	300	60	Ecogel® S0 PA is a pigmented, styrene free, pre accelerated isophthalic and thixotropic polyester gelcoat specially designed for spray application	
		Ecogel® S1 PA	Polyester	300	30	Crystic Ecogel® S1PA is a very low styrene emission polyester spray gelcoat.	
		Crystic® gelcoat LS 97PA	ISO Polyester	240	7	Crystic® gelcoat LS 97PA is a high performance isophthalic gelcoat. It is a low styrene content superior weathering gelcoat with excellent water resistance	
		Crystic® gelcoat 0209 SMK	ISO Polyester	350	10	Crystic® gelcoat 0209SMK is a pre-accelerated, robust, isophthalic and thixotropic polyester gelcoat specially designed for spray application	
	Resins	Crystic® 701 PAX	ISO Polyester	160	85	Crystic® 701PAX is a pre-accelerated, isophthalic polyester resin with low viscosity for vacuum injection and controlled exotherm characteristics	
		Crystic® 702 PAX	Ortho Polyester	160	65	Crystic® 702PAX is a pre-accelerated, orthophthalic polyester resin with low viscosity for vacuum injection and controlled exotherm characteristics	
		Crystic® VE676-03	Vinylester	175	30	Crystic® VE 676-03 is an epoxy bisphenol A based, vinyl ester resin for vacuum injection	
		Crystic® 2-420 PA	Polyester	420	65	Crystic® 2-420PA is a low styrene emission, pre-accelerated orthophthalic polyester resin for hand lamination. It has a long gel time and low exotherm, which make it suitable for the moulding of large structures and for multi layering. Crystic® 2-420PA is available pigmented white	
		Crestapol® 1250LV	Urethane Acrylate	200	35	Compatible with carbon fibre reinforcements. Delivers high toughness and exceptional retention of properties when exposed to hot wet and cold environments. Crestapol® 1250LV is a laminating resin for use in injection, RTM and vacuum infusion applications. Crestapol® 1250LV produces laminates with high strength and toughness with exceptional water and hydrolysis resistance	
		Crestapol® 1250LV Pultrusion	Urethane Acrylate	200	n/a	Variant of 1250LV product designed for carbon pultrusions ideal for stiffening of polyester or epoxy infused wind turbine blades. Provides a fast wetout and an outstanding bond to carbon fibre. Crestapol® 1250 delivers high strength and toughness with exceptional water and hydrolysis resistance	
	Crystic® 1251LV	Urethane Acrylate	200	60	Crestapol® 1251LV is a laminating resin for use in injection, RTM and vacuum infusion applications. Crestapol® 1251LV produces laminates with high strength and toughness with exceptional water and hydrolysis resistance		
	Structural Bonding Pastes	Scott Bader offer a range of structural bonding pastes for blade bonding tailored to meet customer requirements.				Please contact andrew.harvey@scottbader.com at Scott Bader, for further information	
	<p>Nacelle/ Wind Turbine Generator Housing Manufacture - Fire Retardant Systems</p>	Topcoats	Crystic® Fireguard 75PA	Polyester	n/a	10	Crystic® Fireguard 75PA (IMB) Excel is an intumescent in mould brush (IMB) gelcoat based on an unsaturated polyester resin. It is available as a brush & spray applied product in a variety of colours
Resins		Crystic® 1355PA	Polyester	450	18	Crystic® 1355PA is a pre-accelerated, filled, fire retardant polyester resin which has been designed for contact moulding applications. It has been formulated as an inexpensive resin and wets out the reinforcement rapidly	
		Crystic® PD9356 PA	Polyester	n/a	18	Variant of 1355PA with no thixotrope and viscosity adjusted for RTM and RTM-Light	
Crystapol® 1212	Urethane Acrylate	70	17	Resin for Nacelle manufacture. Crestapol® 1212 is a tough, low viscosity resin with a rapid cure, which can be highly filled with selected grades of alumina trihydrate (ATH). Highly filling this resin with ATH allows a very high level of fire & smoke performance (Epiradiateur NFF 16-101, NFP 92-501, M1, F0). It is designed for closed mould applications, including vacuum infusion with suitable reinforcements and pultrusion processes. (Separate Crestapol® Pultrusion and Closed Mould guides are available)			
<p>Blade Finishing & Repair</p>	Resins	Crystic® VE676 1TP	Vinylester	800	30	Crystic® VE 676/1TP is pre-accelerated, thixotropic epoxy bisphenol A based, vinyl ester resin ideal for hand lamination	
	Filler	Filler X401	Polyester	800	9	Crystic® FILLER X 401 is a pre accelerated highly thixotropic polyester compound, specially designed for surface finish at joint line	
		Filler X401FV	Polyester	n/a	n/a	Glass filled variant of the X401 filler	
	Gelcoat	Crystic® gelcoat 0209 KH V02	ISO Polyester	530	12	Gelcoat Crystic® 0209 KH V02 is a pre-accelerated isophthalic and thixotropic polyester gelcoat specially designed for brush application	
		Crystic® gelcoat X209 FC	ISO Polyester	n/a	n/a	Fast cure variant of brush applied Crystic® gelcoat 0209 KH V02	
	Structural Adhesives	Crestabond® M1-04	Methacrylate	(15mm)	4	Crestabond® M1-04 is a toughened, two component acrylic adhesive designed for bonding composites, thermoplastics and metals	
		Crestabond® M1-20	Methacrylate	(25mm)	19	Crestabond® M1-20 is a toughened, two component acrylic adhesive designed for bonding composites, thermoplastics and metals	
		Crestabond® M1-60HV	Methacrylate	(50mm)	60	Crestabond® M1-60HV is a toughened, two component acrylic adhesive designed for bonding composites, thermoplastics and metals. Gap filling up to 50mm	
Crestabond® M1-90HV		Methacrylate	(50mm)	90	Crestabond® M1-90HV is a toughened, two component acrylic adhesive designed for bonding composites, thermoplastics and metals. Gap filling up to 50mm		
Crestabond® M7-05	Methacrylate	(5mm)	5	Crestabond® M7-05 is a toughened, two component acrylic adhesive designed for bonding composites, thermoplastics and metals. Gap Filling up to 5mm			
Crestabond® M7-15	Methacrylate	(5mm)	15	Crestabond® M7-15 is a toughened, two component acrylic adhesive designed for bonding composites, thermoplastics and metals. Gap Filling up to 5mm			

Scott Bader Group Companies

HEAD OFFICE

Scott Bader Company Limited

Wollaston
England
Tel: +44 1933 663100
Fax: +44 1933 666139
email: enquiries@scottbader.com

Scott Bader France

Amiens
France
Tel: +33 3 22 66 27 89
Fax: +33 3 22 66 27 80
email: info_distribution@scottbader.fr

Scott Bader Spain

Barcelona
Spain
Tel: +34 93 553 1162
Fax: +34 93 553 1163
email: diazs@scottbader.es

Scott Bader Germany

Weiden
Germany
Tel: +49 961 401 84474
Fax: +49 961 401 84476
email: composites@scottbader.de

Scott Bader Ireland

Dublin
Ireland
Tel: +353 1801 5656
Fax: +353 1801 5657
email: composites@scottbader.ie

Scott Bader Scandinavia AB

Falkenberg
Sweden
Tel: +46 346 10100
Fax: +46 346 59226
email: composites@scottbader.se

Scott Bader Eastern Europe s.r.o

Mimoň II
Czech Republic
Tel: +420 (0) 487 863 880
Fax: +420 (0) 485 111 254
email: miro@sbee.cz

Scott Bader Croatia

Zagreb
Croatia
Tel: +385 1 240 6440
Fax: +385 1 240 4573
email: info@scottbader.hr

Scott Bader North America

Stow, OH USA
Drummondville (Quebec) Canada
Tel: +1 330 920 4410
Fax: +1 330 920 4415
email: info@scottbader-na.com

Scott Bader South Africa

Hammarsdale
South Africa
Tel: +27 31 736 8500
Fax: +27 31 736 8511
email: composites@scottbader.co.za

Scott Bader Middle East Limited

Dubai
United Arab Emirates
Tel: +971 481 50222
Fax: +971 488 35319
email: info@scottbader.ae

Scott Bader Japan KK

Yokohama, Japan
Tel: +81 (0)90-5530-4427
Email: enquiries@scottbader.com

Scott Bader Asia Pacific

Shanghai
China
Tel: +86 (21) 5298 7778
Fax: +86 (21) 5298 8889
email: info@scottbader.cn

Satyen Scott Bader Pvt. Ltd

Mumbai
India
Tel: +91 22 4220 1555
Fax: +91 22 2491 1262
email: info@satytenpolymers.com

NovaScott Especialidades Químicas Ltda

Civit II, Serra, ES 29165-973
Brazil
Tel: +55 27 3298-1100
email: info@novascott.com.br



*We pioneer the future of chemistry, making a **positive** difference to all businesses we serve and each life we touch.*

For more information on Scott Bader products, visit our website

www.scottbader.com

WIND ENERGY PRODUCT RANGE 3/17 ISSUE 1
All information correct at time of printing.

